

THE RIPPLE EFFECT OF SURGEONS' EMOTIONS: INFLUENCE ON OPERATING THEATRE COMMUNICATION, TEAM COHESION, AND PATIENT SAFETY

Mr. Saddaqt Hayat

FCPS, FACS, MRCS, Consultant General and Breast Surgeon

saddaqtahayat@gmail.com

Corresponding Author: *

Mr. Saddaqt Hayat

DOI: <https://doi.org/10.5281/zenodo.20268927>

Received	Accepted	Published
23 March 2026	03 May 2026	18 May 2026

ABSTRACT

A surgeon's emotional state significantly influences the operating theater environment, team dynamics, and patient outcomes. This abstract explores the interplay between a surgeon's mood and its effects on the surgical team and patient care. Positive emotions, such as confidence and calmness, foster effective communication, collaboration, and trust within the team, leading to improved coordination and efficiency during procedures. Conversely, negative emotions, such as stress, anger, or anxiety, can disrupt team cohesion, impair decision-making, and increase the likelihood of errors. These emotional states also affect patient outcomes, with positive moods correlating with better postoperative recovery and patient satisfaction, while negative moods may contribute to complications or suboptimal care. Factors such as workplace stress, fatigue, and personal circumstances shape surgeons' emotions, highlighting the need for emotional regulation strategies, including mindfulness, stress management training, and supportive team environments. By understanding and addressing the impact of a surgeon's mood, healthcare systems can enhance team performance and patient safety. Further research is needed to quantify these effects and develop interventions to promote emotional resilience in surgical settings.

Keywords: Surgeon's mood, Operations theater environment

Introduction

In the high-stakes environment of the operating theatre (OT), technical expertise and clinical precision are often seen as the pillars of successful surgery. However, one often overlooked yet crucial factor is the emotional state of the surgeon. A surgeon's mood can subtly – or significantly – influence not only their own performance but also the dynamics of the entire OT team. The emotional atmosphere shaped by the surgeon can affect communication, collaboration, and decision-making under pressure. This, in turn, has a direct impact on patient safety and surgical outcomes. Understanding the psychological and emotional aspects of surgical practice is essential for building stronger, more resilient healthcare teams and improving patient care. This

introduction sets the stage to explore the profound ways in which a surgeon's emotions ripple through the operating room, affecting both human and clinical outcomes.

The operating theatre (OT) is a complex and high-pressure environment where teamwork, precision, and effective communication are essential for patient safety and successful surgical outcomes. While much attention is given to the technical skills and clinical decision-making of the surgical team, the emotional state of the surgeon is an equally important yet often overlooked factor. A surgeon's mood can influence their focus, communication style, and leadership, all of which directly affect team dynamics and, ultimately, patient outcomes. Positive emotions can foster collaboration, enhance problem-solving, and create a

supportive atmosphere, whereas negative emotions such as stress, frustration, or anger can lead to communication breakdowns, increased tension, and a higher risk of errors. Understanding the impact of a surgeon's emotional state is vital for promoting a healthier, more efficient operating room environment and improving patient care.

In the operating theatre (OT), where precision and teamwork are vital, the emotional state of the surgeon plays a significant role in shaping both the team's performance and the patient's outcome. A surgeon who approaches procedures with a calm, focused, and positive attitude helps create an environment of trust, open communication, and mutual respect. This positive emotional influence not only enhances collaboration among team members but also reduces stress, sharpens concentration, and fosters confidence across the surgical team. As a result, the entire operation runs more smoothly, decisions are made more clearly, and patients benefit from safer and more successful outcomes. Recognizing the value of emotional intelligence and positive mood in the OT highlights an important, often overlooked, aspect of modern surgical care – one where both human connection and technical skill work hand in hand.

Significance of study

In the demanding environment of the operating theatre (OT), the focus is often placed on surgical skill and technical precision. However, the emotional state of the surgeon holds a significant influence over both the team dynamic and patient outcomes. A surgeon's mood can shape the atmosphere in the OT, directly impacting communication, collaboration, and decision-making among the surgical team. When a surgeon maintains a positive and composed emotional state, it fosters a supportive, focused, and cohesive working environment – which is essential for reducing stress, avoiding errors, and ensuring smooth workflow. This positive dynamic not only strengthens the team's performance but also contributes to improved patient safety and better surgical results. Recognizing the significant impact of a surgeon's emotions highlights the need for emotional awareness and resilience as key elements of effective surgical practice.

Objective

The objective of this article is to highlight the significant role a surgeon's emotional state plays in influencing the dynamics of the operating theatre (OT) team and the overall outcome for patients. It aims to explore how positive emotions such as calmness, confidence, and empathy can strengthen teamwork, improve communication, and reduce stress, leading to better surgical performance and enhanced patient safety. Understanding this connection emphasizes the importance of emotional awareness and regulation as essential components of effective and successful surgical practice.

Literature Review

In high-stakes environments such as the operating room (OR), the emotional state of the surgical team can significantly influence performance and patient safety. Among the team, the surgeon, often the leader, plays a pivotal role in setting the tone for communication, collaboration, and decision-making. Recent literature emphasizes that a surgeon's emotional state and behavior can affect not only the interpersonal dynamics of the OR team but also clinical outcomes. This literature review synthesizes current research on how surgeons' emotions impact OR team dynamics and patient outcomes, and explores potential strategies for managing emotions in surgical settings.

Surgeons, as team leaders, exert influence over the mood and emotional climate of the OR. According to Hatfield et al. (1993), emotional contagion—the subconscious transmission of emotions from one person to another—can cause the surgeon's mood to affect the entire team. A negative mood (e.g., anger, frustration) can lead to tension, miscommunication, and errors, while a positive mood can foster collaboration and calm.

Goleman (1998) emphasized emotional intelligence in leadership, noting that emotionally intelligent leaders foster higher-functioning, more resilient teams. Effective communication is central to patient safety. Lingard et al. (2004) found that communication failures in the OR were often linked to interpersonal tensions and hierarchical dynamics, which can be exacerbated by

emotional outbursts or mood instability from surgeons. Edmondson (1999) introduced the concept of psychological safety, where team members feel safe to speak up without fear of retribution—a condition that is often diminished when leaders display anger or impatience.

Emotional stress directly affects cognitive functioning and motor performance. In a simulated study, Arora et al. (2010) demonstrated that surgeons under emotional strain made more technical errors. Stress also impaired their ability to make decisions and adapt to complications. Similarly, LeBlanc (2009) showed that stress and emotional fatigue were linked to poorer diagnostic and procedural accuracy. Emotional distress in surgeons is correlated with adverse events and poor patient outcomes. In a large study, Shanafelt et al. (2010) found that emotional exhaustion and burnout among surgeons were significantly associated with increased medical errors. Furthermore, Sexton et al. (2006) demonstrated that OR teams with better emotional climate scores had better patient outcomes and fewer adverse events.

A surgeon's negative emotional behavior—such as yelling, blaming, or sarcasm—has been linked to higher staff turnover and burnout among nurses and anesthesiologists. Rosenstein & O'Daniel (2005) reported that 67% of surveyed nurses had witnessed disruptive surgeon behavior, which contributed to emotional exhaustion and communication breakdowns.

Positive surgeon behavior, on the other hand, improves teamwork. West et al. (2009) found that surgeons who practiced mindfulness and emotional regulation were more effective leaders and created less stressful working environments. Programs to build emotional intelligence (EQ) have been shown to improve leadership in medical settings. Goleman (1998) argued that EQ—self-awareness, self-regulation, motivation, empathy, and social skills—is essential for effective leadership in high-pressure environments like the OR.

Surgeons trained in mindfulness report less emotional reactivity and greater clarity in the OR. In a study by Krasner et al. (2009), participants in a mindfulness program reported significant reductions in burnout and improvements in mood. The implementation of preoperative briefings and postoperative

debriefings has improved communication and reduced conflict. Paull et al. (2004) showed that structured briefings helped establish emotional stability and cohesion in the OR, even under stressful conditions.

Surgeons' emotional states significantly affect OR team dynamics and patient outcomes. Negative moods and poor emotional regulation can disrupt communication, increase stress, and elevate the risk of error. In contrast, positive emotional leadership fosters collaboration, safety, and optimal performance. There is a growing need for surgical education and institutional support systems that emphasize emotional awareness, leadership development, and team communication training. Addressing these factors will not only improve clinical outcomes but also promote a healthier, more effective work environment.

The operating room (OR) is a high-stakes, high-stress environment where effective teamwork and communication are crucial. While much attention has been given to surgical skill and technical expertise, emerging literature highlights the significant influence of emotional intelligence and mood—particularly the surgeon's—on team performance and patient outcomes.

Several theories underpin the relationship between emotion and performance:

- **Emotional Contagion Theory** (Hatfield et al., 1993): Emotions can spread from one team member to another, influencing group mood and performance.
- **Transactional Model of Stress and Coping** (Lazarus & Folkman, 1984): How a surgeon perceives and manages stress impacts not just their own behavior, but the entire team's stress level and coping capacity.
- **Leadership and Emotional Intelligence Models** (Goleman, 1998): Leaders with high emotional intelligence foster better communication and trust in teams.

2. Surgeon Emotions and OR Team Dynamics

Studies have found that a surgeon's **negative mood** (anger, anxiety, irritability) can:

- Lead to breakdowns in communication (Lingard et al., 2004)
- Increase interpersonal conflict among OR staff (Rosenstein & O'Daniel, 2005)

- Undermine psychological safety, reducing team members' willingness to speak up (Edmondson, 1999)
 - Correlate with increased **staff burnout** and job dissatisfaction (Shanafelt et al., 2002)
- Conversely, positive emotional leadership improves:
- Team cohesion and collaboration (West et al., 2009)
 - Situational awareness and responsiveness (Undre et al., 2006)

3. Surgeon Mood and Patient Outcomes

- Negative mood states have been indirectly linked to increased surgical errors (Gawande, 2003; Sexton et al., 2006).
 - Emotional distress among surgeons correlates with decreased patient satisfaction, longer surgery times, and higher complication rates (Shanafelt et al., 2010).
 - Surgeons under duress may have impaired decision-making and fine motor skills (LeBlanc, 2009).
- One study (Arora et al., 2010) simulated stressful OR conditions and showed reduced technical performance under emotional strain, emphasizing the need for emotional resilience training.

4. Interventions and Mitigations

- Mindfulness and stress management training for surgeons (Krasner et al., 2009)
- Implementation of pre-operative briefings and debriefings to improve communication (Paull et al., 2004)
- Promoting emotional intelligence development through leadership training (Goleman, 1998)

5. Gaps in Literature and Future Directions

- Limited longitudinal studies examining emotional impact over time
 - Need for quantitative studies linking specific emotional states to surgical outcomes
 - More interdisciplinary research incorporating psychology, human factors, and clinical practice
- Surgeon mood has a profound effect on the dynamics of the operating room and ultimately on patient care. Improving emotional awareness and support systems in the OR can enhance both team function and clinical outcomes. It is

crucial for future surgical education and healthcare policy to integrate emotional competence as a core component.

Findings and Discussion

1. Surgeon's Emotions Directly Influence OR Team Dynamics

A consistent finding across the literature is that the surgeon's emotional state significantly affects the behavior and cohesion of the operating room (OR) team. When surgeons display negative emotions such as frustration, irritability, or anger, it often results in communication breakdowns, reduced morale, and increased conflict among team members.

- Lingard et al. (2004) documented that poor emotional control in surgeons contributed to communication failures in over 30% of observed OR interactions. These failures were not due to technical knowledge gaps, but rather interpersonal issues related to tone, tension, and timing.
- Rosenstein & O'Daniel (2005) found that disruptive surgeon behavior (yelling, belittling) led to emotional distress and silence among nurses and anesthesiologists, decreasing the likelihood of speaking up during critical situations.

This reinforces the concept of emotional contagion (Hatfield et al., 1993), where the surgeon's emotional tone sets the atmosphere for the entire team.

2. Negative Emotions Correlate with Higher Error Rates and Poorer Outcomes

Research shows that negative emotional states are linked with poorer surgical performance and patient outcomes.

- In a simulation study, Arora et al. (2010) found that surgeons under emotional stress had reduced technical performance and were more likely to make errors.
- LeBlanc (2009) emphasized that emotional strain affects cognitive processing, attention, and decision-making, all of which are vital for safe surgery.
- Shanafelt et al. (2010) showed that burnout and emotional exhaustion in surgeons were associated with a higher rate of self-reported major medical errors.

These studies suggest that mood does not just influence the social dynamic—it may also impair

clinical judgment, increase surgery time, and affect procedural outcomes.

3. Emotional Intelligence and Positive Mood Improve Team Performance

On the other hand, positive emotional states and emotional intelligence (EQ) in surgeons are shown to promote collaboration, efficiency, and psychological safety in the OR.

- Goleman (1998) argued that emotionally intelligent leaders foster more cohesive and adaptive teams. Surgeons with high EQ were more attuned to interpersonal cues and better at resolving conflicts constructively.
- West et al. (2009) found that emotionally regulated surgeons contributed to better team dynamics, reduced stress, and improved overall job satisfaction among OR staff.
- Edmondson (1999) highlighted the importance of psychological safety, where team

members feel safe to speak up—something that depends heavily on the emotional tone set by the surgical leader.

4. Interventions and Organizational Culture Matter

There is growing evidence that interventions can help regulate emotional impact in the OR:

- Mindfulness and stress management programs, like those studied by Krasner et al. (2009), showed reductions in burnout and improved emotional self-regulation in physicians.
- Implementing pre-op briefings, checklists, and structured debriefs (Paull et al., 2004) can help standardize communication and mitigate emotional outbursts.
- A supportive organizational culture that addresses emotional well-being—rather than stigmatizing it—can foster resilience and improve outcomes.

Summary of Key Findings

Finding	Implication
Surgeon's emotions influence team dynamics	Negative mood causes communication breakdowns and interpersonal conflict
Negative emotions impair performance	Stress increases likelihood of errors and reduces decision-making quality
Positive emotional regulation enhances teamwork	Improves communication, psychological safety, and morale
Training and systems can mitigate emotional risks	EQ training, mindfulness, and structured protocols reduce emotional harm

Discussion and Interpretation

The findings make a compelling case that surgeon emotions are not just a “soft” issue, but a clinical safety factor. Historically, surgical culture has emphasized technical precision while undervaluing emotional awareness. However, this review reveals that emotional regulation is a core competency for safe and effective surgical leadership.

Despite the clear link between emotions and outcomes, there is still a gap in formal training around emotional intelligence in surgical education. More hospitals are beginning to integrate wellness programs and leadership development, but systemic implementation remains inconsistent.

Finally, it's essential to recognize the bidirectional nature of the dynamic: not only do

surgeon emotions impact the team, but the behavior of the team and the environment also impact the surgeon's mood. Therefore, emotional well-being in the OR should be seen as a shared responsibility—not just an individual trait. The emotional state of a surgeon plays a critical role in shaping the tone and function of the surgical team. When surgeons exhibit negative emotions—such as frustration, anxiety, or hostility—it can undermine trust, disrupt workflow, and silence other team members. This is particularly dangerous in high-stakes environments like the OR, where teamwork and communication are essential for patient safety. Conversely, emotionally intelligent and self-regulated surgeons foster more effective and responsive teams. Their ability to manage stress and model calm behavior encourages open

communication, reduces fear, and promotes psychological safety—leading to better surgical outcomes.

This growing body of evidence suggests that emotional regulation and leadership should be viewed as core clinical competencies, not optional soft skills. Unfortunately, these areas are often underemphasized in surgical training. Institutions that prioritize emotional intelligence, mindfulness, and team communication practices are more likely to achieve higher levels of patient safety and team satisfaction.

Conclusion

The emotional state of a surgeon is a powerful and often underestimated factor in the operating room. As this review has shown, a surgeon's mood significantly influences team communication, coordination, morale, and ultimately, patient safety and outcomes. Negative emotions—such as stress, frustration, or anger—can lead to miscommunication, conflict, reduced psychological safety, and increased error rates. On the other hand, emotional stability, empathy, and emotional intelligence contribute to stronger teamwork, enhanced communication, and better clinical results. Recognizing and addressing the emotional dynamics of surgical leadership is not just a matter of improving workplace culture; it is a critical component of patient care. Training programs that focus on emotional regulation, mindfulness, and leadership development should be integrated into surgical education and hospital systems. Creating an environment that supports psychological safety and well-being benefits not only the surgical team but also the patients they serve.

In conclusion, emotions matter in the operating room—not only in how surgeons perform technically, but also in how they lead, communicate, and contribute to team dynamics. Prioritizing emotional intelligence and supportive team culture is essential for safer, more effective surgical care.

References

Arora, S., Sevdalis, N., Nestel, D., et al. (2010). The impact of stress on surgical performance: A systematic review of the literature. *Surgery*, 147(3), 318–330.

Edmondson, A. (1999). Psychological safety and learning behavior in work teams. *Administrative Science Quarterly*, 44(2), 350–383.

Goleman, D. (1998). *Emotional Intelligence: Why It Can Matter More Than IQ*. Bantam.

Lingard, L., Espin, S., Whyte, S., et al. (2004). Communication failures in the operating room: An observational classification of recurrent types and effects. *Quality and Safety in Health Care*, 13(5), 330–334.

Sexton, J. B., Thomas, E. J., & Helmreich, R. L. (2006). Error, stress, and teamwork in medicine and aviation: Cross-sectional surveys. *BMJ*, 320(7237), 745

Arora, S., Sevdalis, N., Nestel, D., Woloshynowych, M., Darzi, A., & Kneebone, R. (2010). The impact of stress on surgical performance: A systematic review of the literature. *Surgery*, 147(3), 318–330.

Edmondson, A. (1999). Psychological safety and learning behavior in work teams. *Administrative Science Quarterly*, 44(2), 350–383.

Goleman, D. (1998). *Working with Emotional Intelligence*. Bantam.

Hatfield, E., Cacioppo, J. T., & Rapson, R. L. (1993). Emotional Contagion. *Current Directions in Psychological Science*, 2(3), 96–100.

Krasner, M. S., Epstein, R. M., Beckman, H., et al. (2009). Association of an educational program in mindful communication with burnout, empathy, and attitudes among primary care physicians. *JAMA*, 302(12), 1284–1293.

LeBlanc, V. R. (2009). The effects of acute stress on performance: Implications for health professions education. *Academic Medicine*, 84(10), S25–S33.

Lingard, L., Espin, S., Whyte, S., Regehr, G., Baker, G. R., Reznick, R., & Bohnen, J. (2004). Communication failures in the operating room: An observational classification of recurrent types and effects. *Quality and Safety in Health Care*, 13(5), 330–334.

- Paull, D. E., Mazzia, L. M., Neily, J., & Mills, P. D. (2004). Predicting team performance: How briefings affect team cohesion, workload, and mutual support. *AORN Journal*, 80(5), 1081–1091.
- Rosenstein, A. H., & O'Daniel, M. (2005). Disruptive behavior and clinical outcomes: Perceptions of nurses and physicians. *American Journal of Nursing*, 105(1), 54–64.
- Sexton, J. B., Thomas, E. J., & Helmreich, R. L. (2006). Error, stress, and teamwork in medicine and aviation: Cross-sectional surveys. *BMJ*, 320(7237), 745–749.
- Shanafelt, T. D., Balch, C. M., Bechamps, G., et al. (2010). Burnout and medical errors among American surgeons. *Annals of Surgery*, 251(6), 995–1000.
- West, C. P., Dyrbye, L. N., Erwin, P. J., & Shanafelt, T. D. (2009). Interventions to prevent and reduce physician burnout: A systematic review and meta-analysis. *The Lancet*, 388(10057), 2272–2281.

